











VTL7000P Max EOD Backmount

Li ion Rechargeable Battery High Power LED Video/Tech Light with E/O Cord Battery Canister

SPECIFICATIONS

Light source

Light output (Flood beam mode)

Light output (Spot beam mode)

Light output (Red color mode)

Casing material

Power source

Angle of light beam

Color temperature

Burn time

Maximum depth

Size (Light head) Size (Canister)

Weight in air (Light head)

Weight in air (Canister)

Buoyancy in seawater (Light head)

Buoyancy in seawater (Canister)

Switching system (Light head)

Switching system (Canister)

Cable Lenght

Front glass

9 x LED + 4 x XPE Red LED 1750 Lm (level I), 3500 Lm (level II)

1750 Lm (level I), 3500 Lm (level II) 7000 Lm (level III)

725 Lm (level I), I450 Lm (level II) 2900 Lm (level III)

500 Lm

Aluminum alloy. Anti-corrosive anodized

Li ion Rechargeable battery pack 3 x BATCELLEOCANISTER Total power is 23.8 Ah

Each battery is 88.06 Wh 120° wide beam and 10° parrow beam

6500K

8 hrs (level III), 16 hrs (level II)

and 32 hrs (level I) 150 m tested

Dia. 63 x L. 90.5 mm

Dia. 68 x L. 290 mm

462 g

2478 g

-191 g

-1299 g

Push button with battery indicator

Mechanical ON/OFF switch

1.3 meters

Tempered optical glass

(120° WIDE BEAM) (10° NARROW BEAM)



Like Us on facebook











3 levels of brightness for Flood beam mode, 3 levels of brightness for Spot beam mode and I level of brightness for Red color mode controlled by a reliable push button



Battery level indicator built-in: Blue color / Green color / Red color / Flash Red color



BATCELLEOCANISTER Li ion Rechargeable Battery



Adjustable Goodman handle with connector. Comes in a package



Comes with ball joint for easy system setup



Removable yellow filter enhances warmer color tone



Cross over color by special request



Easy to charge up the battery BATCELLEOCANISTER



Comes with protective case for VTL7000P Max EOD Backmount



Angle of light beam



Blind plug. Sold separately.



Built-in red color led enhances focusing performance